



AMBIUM®
SLIMLINE MINI-WHT

The Slimline series is a flexible LED line made to replace conventional Neon light. Designed with the highest possible quality in mind.

Suitable for all your furniture lighting projects.

AMBIUM® SLIMLINE MINI-WHT IP54



SPECIFICATIONS



ARTICLE NUMBER	PRODUCT	WAVE-LENGTH K	LUMEN OUTPUT Lm/m	POWER W/m	EFFI-CIENCY Lm/W	CRI	VOLT-AGE VDC	# LEDs	IP RATING	TEMP °C
KSL3000212		2700	724	10	73		24			-25 to 60C
KSL3000652	Slimline 300 MINI-WHT 6500K 5000mA	6500	824	10	83	90+	24	120	54	-25 to 60C
KSL3000452	Slimline 300 MINI-WHT 4000K 5000mA	4000	860	10	86	90+	24	120	54	-25 to 60C
KSL3000252	Slimline 300 MINI-WHT 2700K 5000mA	2700	724	10	73	90+	24	120	54	-25 to 60C


These data are typical values. Max lenght refers to single side feed in serial connection. The given color temperature is the strip (after coating) color temperature.

ELECTRICAL DATA

Voltage	DC24V (23.5V _{min} , 24.5V _{max})
Led Pin Temperature	Max. 65°/149°F
Storage Temperature	-25°/-13°F _{min} , 60°/140°F _{max}
Ambient Temperature	Ta _{min} = -25°/-13°F, Ta _{max} (Table below)
CRI	Ra80 / Ra90 optional

1. It is available in PRO/AD V version.
2. IP54= Full coating. TUV IP54 certification can be provided .
3. Due to the tolerances of the production and electrical components, output values and electrical power can vary up to 10%

LIGHT DIAGRAM



DIMENSIONS (MM)

